

AIRS Level 3 and Visualization

AIRS Science Team Meeting May 3-6, 2005

Stephanie Granger
California Institute of Technology
Jet Propulsion Laboratory

06 May 2005





Agenda

- Status
- Overview of AIRS L3
- Science Users
- Sample Visualizations
- Showl3 IDL tool for visualization of L3
- Next Steps v5.0
- Level 3 Quantization Product
- 500 Mb Visualization



Status

Live in '05!

- Level 3 Data products are available via the GDAAC
- Thanks to:
 - JPL Evan Manning, Bob Oliphant, Robert Ando, Quyen Nguyen, Amy Braverman, Eric Fetzer, Stephen Leroy, Sung-Yung Lee, Evan Fishbein, Ed Olsen, Annmarie Eldering, George Aumann
 - GSFC Joel Susskind, Lena Irredel
 - Beta users

AlRS Science Team Meeting: 06-may-05-SLG





AIRS Level 3 Products

- Represents Level 2.
- Gridded statistical summary of the distribution of corresponding Level 2 parameters for a given time period within a grid cell (1°x1°).
 - Characteristics
 - Lower volume, less complex than Level 2.
 - Can be used to understand long term, global or large-scale regional behavior.
 - Serves as a guide to corresponding Level 2 data.
 - · Aid in identification of interesting regions, time period or artifacts.





AIRS Level 3 Standard Product Specs

- One degree by one degree equal angle grid
- 8 day and monthly and daily
- Means, counts and standard deviation
- Separate Ascending (1:30AM 1:30AM) and Descending (1:30PM 1:30PM)
- Parameters
- Separate MW-only fields included
 - Temperature, Water vapor (RH and MMR), Geopotential height profiles
 - T profiles: 1000. 1.0 mb
 - Water vapor profiles: 1000. 100. mb
 - Cloud (height and fraction), total ozone, OLR (Clear and cloudy)
 - Emissivities (MW and IR), Cloud Liquid Water, Surface skin/air temperature
 - MW only Temperature and geo pot height profile
 - Total precipitable water vapor (MW only and MW/IR combined)
- Special attention was paid to coastline grids
- Land/sea mask
- Version 4 level 3 can be run on version 3.0 retrievals from DAAC (with some blank fields)
 - We ran two and one half year long time series September 2002 February 2005.






Some Level 3 Science Users


- Duane Walliser, Baijun Tian(JPL, Caltech)
 - Madden-Julian Oscillation (MJO) Research
- GENESIS Project (JPL, USC)
- Andrew Gettleman (NCAR)
- AIRS Science Integration Team (JPL)
- Environmental Science Research Institute, Inc. (ESRI)
 - Applications Research Lab
- Andrew Dessler (Texas A&M)
- Bob Knuteson (UWisc)
 - Surface Temp validation (over land)
- Dave Pierce (Scripps)
- Joshua (Xiouhua) Fu (University of Hawaii at Manoa)
 - International Pacific Research Center (IPRC)
 - School of Ocean and Earth Science and Technology (SOEST)






Comparison of v3.0 vs. v4.0 Using L3 SST (SYL & SLG)













AIRS Level 3 SST - Standard Deviation (SYL & SLG










Level 3 Visualization

Showl3


- Developed by Bob Oliphant
- IDL tool for visualization of AIRS L3
- Used to provide quick look capability for AIRS Level 3 products at every level.








Showl3 - multiple pressure level capability










Verification of algorithm using Level 3










AlRS Science Team Meeting: 06-may-05-SLG






Animation using 8-day Level 3 product





AIRS Level 3 Product 8-Day (from v3.0 L2)



AlRS Science Team Meeting: 05-may-05-SLG





To do

V5.0

- Level 3 Standard
 - Science Team Input
 - O3 Profile
 - T profiles v H2O profiles in a grid cell
 - Because of QA, different T profiles and H2O profiles
 - Difficult to analyze relationship between them.
 - Exploratory
 - Cloud profiles
 - L3 weighted by error estimates
 - ATOVS compatibility
- Level 3 Quantization
 - Quantized Level 3 product that takes into account the non-Gaussian distribution within a grid cell through cluster analysis.
 - Prototype done
 - Questions? Amy.Braverman@jpl.nasa.gov





Integrated WV - 1000 - 500 Mb (Sept 2002 - Feb 2005)

